



Contents of *Aquaculture*, Volume 251

VOL. 251 NO. 1

20 January 2006

Diseases

- Molecular characterization of three *Rana grylio* virus (RGV) isolates and *Paralichthys olivaceus* lymphocystis disease virus (LCDV-C) in iridoviruses
Q.-Y. Zhang, Z. Zhao, F. Xiao, Z.-Q. Li and J.-F. Gui (Wuhan, China) 1
- Microbiological and histological studies of farmed-bullfrog (*Rana catesbeiana*) tissues displaying red-leg syndrome
S.E. Pasteris, M.I. Bühler and M.E. Nae'ar-Macias (San Miguel de Tucumán, Argentina) 11
- Morphological, structural, and functional characterization of the haemocytes of the scallop, *Argopecten irradians*
W. Zhang (Guangzhou, Chuzhou, China), X. Wu (Hangzhou, China) and M. Wang (Beijing, China) 19
- Detailed monitoring of white spot syndrome virus (WSSV) in shrimp commercial ponds in Sinaloa, Mexico by nested PCR
L.I. Peinado-Guevara and M. López-Meyer (Sinaloa, México) 33

Genetics

- Genetic structure and genetic relatedness of a hatchery stock of Senegal sole (*Solea senegalensis*) inferred by microsatellites
J. Porta, J.M. Porta (Málaga, Spain), G. Martínez-Rodríguez (Cádiz, Spain) and M.C. Álvarez (Málaga, Spain) 46

Nutrition

- Relevance of dietary oil source for contraction and quality of pre-rigor filleted Atlantic cod, *Gadus morhua*
T. Mørkøre (Ås, Norway) 56
- Evaluation of the nutritional value of prototype lupin protein concentrates when fed to rainbow trout (*Oncorhynchus mykiss*)
B. Glencross (North Beach, Crawley, WA, Australia), W. Hawkins (South Perth, Crawley, WA, Australia), D. Evans, N. Rutherford (North Beach, Crawley, WA, Australia), K. Dods (East Perth, Crawley, WA, Australia), R. Maas (South Perth, Crawley, WA, Australia), P. McCafferty (East Perth, Crawley, WA, Australia) and S. Sipsas (South Perth, Crawley, WA, Australia) 66
- Effect of feeding ratio on growth and body composition of juvenile olive flounder *Paralichthys olivaceus* fed extruded pellets during the summer season
S.H. Cho, S.-M. Lee, B.H. Park (Busan, South Korea) and S.-M. Lee (Gangneung, South Korea) 78

Physiology and Endocrinology

- An insulin-like system involved in the control of Pacific oyster *Crassostrea gigas* reproduction: hIGF-I effect on germinal cell proliferation and maturation associated with expression of an homologous insulin receptor-related receptor
L. Gricourt, M. Mathieu and K. Kellner (Caen cedex, France) 85
- Growth and gonadal development in diploid and triploid turbot (*Scophthalmus maximus*)
R.M. Cal (Vigo, Spain), S. Vidal (Lugo, Spain), C. Gómez, B. Álvarez-Blázquez (Vigo, Spain), P. Martínez (Lugo, Spain) and F. Piñer (Barcelona, Spain) 99
- Effect of temperature on copper toxicity and hematological responses in the neotropical fish *Prochilodus scrofa* at low and high pH
C.S. Carvalho and M.N. Fernandes (São Carlos, Brazil) 109

Gill ATPase activities of silver perch, <i>Bidyanus bidyanus</i> (Mitchell), and golden perch, <i>Macquaria ambigua</i> (Richardson): Effects of environmental salt and ammonia M. Alam and T.L. Frankel (Victoria, Australia)	118
---	-----

Guide for Authors	134
-----------------------------	-----

VOL. 251 NOS. 2-4

28 February 2006

Review Article

Nucleotide nutrition in fish: Current knowledge and future applications P. Li and D.M. Gatlin III (College Station, TX, USA)	141
---	-----

Diseases

Use of adjuvanted vaccines to lengthen the protection against lactococcosis in rainbow trout (<i>Oncorhynchus mykiss</i>) C. Ravelo, B. Magariños, M.C. Herrero, L. Costa, A.E. Toranzo and J.L. Romalde (Girona, Spain)	153
The effect of low salinity on phenoloxidase activity in the Sydney rock oyster, <i>Saccostrea glomerata</i> D. Butt, K. Shaddick and D. Raftos (NSW, North Ryde, Australia)	159
Treatment of <i>Microcotyle</i> sp. (Monogenea) on the gills of cage-cultured red porgy, <i>Pagrus pagrus</i> following baths with formalin and mebendazole P. Katharios, N. Papandroulakis and P. Divanach (Crete, Greece)	167
Effects of dietary supplementation of A3 α -peptidoglycan on innate immune responses and defense activity of Japanese flounder (<i>Paralichthys olivaceus</i>) J. Zhou, X.-L. Song, J. Huang and X.-H. Wang (Qingdao, PR China)	172
Application of enzyme-linked immunosorbent assay (ELISA) for the study of reproduction in the Manila clam <i>Ruditapes philippinarum</i> (Mollusca: Bivalvia): II. Impacts of <i>Perkinsus olseni</i> on clam reproduction K.-I. Park (Jeju, Republic of Korea), A. Figueras (Vigo, Spain) and K.-S. Choi (Jeju, Republic of Korea)	182
A brackishwater isolate of <i>Pseudomonas</i> PS-102, a potential antagonistic bacterium against pathogenic vibrios in penaeid and non-penaeid rearing systems K.K. Vijayan, I.S. Bright Singh, N.S. Jayaprakash, S.V. Alavandi, S. Somnath Pai, R. Preetha, J.J.S. Rajan and E.C. Santiago (Kerala, India)	192
Evaluation of levamisole as a feed additive for growth and health management of hybrid striped bass (<i>Morone chrysops</i> \times <i>Morone saxatilis</i>) P. Li, X. Wang and D.M. Gatlin III (College Station, Texas, USA)	201

Genetics

Genetic parameters and accuracy of selection for resistance to White Spot Syndrome Virus (WSSV) in <i>Penaeus</i> (<i>Litopenaeus</i>) <i>vannamei</i> using different statistical models T. Gitterle (Bogotá, Colombia), J. Ødegård, B. Gjerde (Ås, Norway), M. Rye (Sundalsora, Norway) and R. Salte (Ås, Norway)	210
Developmental quantitative genetic analysis of body weight and morphological traits in red common carp, <i>Cyprinus carpio</i> L. C.-h. Wang, S.-f. Li, Z.-g. Liu (China), S.-p. Xiang, J. Wang, Z.-y. Pang and J.-p. Duan (Zhejiang, China)	219
Study of sex ratio in progeny of a complex <i>Oreochromis</i> hybrid, the Florida red tilapia D. Desprez (Reunion Island, Montpellier Cedex, France; Tihange, Belgium), C. Briand (Montpellier Cedex, France), M.C. Hoareau (Reunion Island, France), C. Mèlard (Tihange, Belgium), P. Bosc (Reunion Island, France) and J.F. Baroiller (Montpellier Cedex, Rennes Cedex, France)	231

Husbandry and Management

Transportation methods for restocking of juvenile sea cucumber, <i>Holothuria scabra</i> S.W. Purcell, B.F. Blockmans and N.N.S. Agudo (Noumea Cedex, New Caledonia)	238
Preliminary studies on the cryopreservation of gilthead seabream (<i>Sparus aurata</i>) embryos E. Cabrita, V. Robles, J.C. Wallace (Faro, Portugal), M.C. Sarasquete (Cádiz, Spain) and M.P. Herráez (León, Spain)	245

Effects of the winter Monsoon on the growth, mortality, and metabolism of adult oysters in Kinmen Island, Taiwan S.-C. Huang, H.-L. Hsieh and C.-P. Chen (Taiwan, ROC)	256
Effects of temperature and water calcium concentration on growth, survival and moulting of freshwater crayfish, <i>Paraneopros zealandicus</i> K.S. Hammond, J.W. Hollows, C.R. Townsend and P.M. Lokman (Dunedin, New Zealand)	271
A biologically based damage assessment model to enhance aquacultural water quality management J.-W. Tsai, C.-M. Liao and V.H.-C. Liao (Taiwan, ROC)	280
Settling velocity of faecal pellets of gilthead sea bream (<i>Sparus aurata</i> L.) and sea bass (<i>Dicentrarchus labrax</i> L.) and sensitivity analysis using measured data in a deposition model S.H. Magill (Argyll, UK), H. Thetmeyer (Kiel, Germany) and C.J. Crome (Argyll, UK)	295
Comparison of shell strength in wild and cultured scallops (<i>Pecten maximus</i>) E. Sofie Grefsrud and Ø. Strand (Bergen, Norway)	306
Acoustical monitoring of fish density, behavior, and growth rate in a tank S.G. Conti, P. Roux (La Jolla, CA, United States), C. Fauvel (Palavas les Flots, France), B.D. Maurer and D.A. Demer (La Jolla, CA, United States)	314
The cost efficiency of trout farms in the Black Sea Region, Turkey H.A. Cinemre, V. Ceyhan, M. Bozöglü, K. Demiryürek and O. Kılıç (Samsun, Turkey)	324
Diurnal use of space by captive adult broad-snouted caiman (<i>Caiman latirostris</i>): Implications for pen design L.M. Verdade (Piracicaba, Brazil), C.I. Piña (Piracicaba, Brazil; Entre Ríos, Argentina) and J.L.O. Araújo (Piracicaba, Brazil) ...	333
Effects of temperature on the growth of pollack (<i>Pollachius pollachius</i>) juveniles J. Person-Le Ruyet, V. Buchet, B. Vincent, H. Le Delliou and L. Quémener (Plouzané, France)	340
Nutrition	
Dietary phosphorus requirement of large yellow croaker, <i>Pseudosciaena crocea</i> R K. Mai, C. Zhang, Q. Ai, Q. Duan, W. Xu, L. Zhang, Z. Liufu and B. Tan (Qingdao, PR China)	346
The ontogeny of the alimentary tract during larval development in common pandora <i>Pagellus erythrinus</i> L. V. Micale, M. Garaffo, L. Genovese (Messina, Italy), M.T. Spedicato (Bari-Torre a mare, Italy) and U. Muglia (Messina, Italy)	354
Development of the digestive tract, trypsin activity and gene expression in eggs and larvae of the bullseye puffer fish <i>Sphoeroides annulatus</i> A. Garcia-Gasca, M.A. Galaviz (Sinaloa, México), J.N. Gutiérrez (La Paz, México) and A. Garcia-Ortega (Sinaloa, México)	366
Development of the digestive capacity in larvae of haddock (<i>Melanogrammus aeglefinus</i>) and Atlantic cod (<i>Gadus morhua</i>) J.C. Perez-Casanova, H.M. Murray (Halifax, Nova Scotia, Canada), J.W. Gallant, N.W. Ross, S.E. Douglas, and S.C. Johnson (St. John's, Newfoundland, Canada)	377
Leaching properties of three different microparticulate diets and preference of the diets in cod (<i>Gadus morhua</i> L.) larvae A. Kvåle (Bergen, Norway), M. Yüfera (Cádiz, Spain), E. Nygård (Fyllingsdalen, Norway), K. Aursland (Bergen, Norway), T. Harboe (Storebø, Norway) and K. Hamre (Bergen, Norway)	402
Biochemical, physiological, and immunological changes during starvation in juveniles of <i>Litopenaeus vannamei</i> C. Pascual, A. Sánchez (Yucatán, México), E. Zenteno (México, México), G. Cuzon (Tahiti, French Polynesia), G. Gabriela (Yucatán, México), R. Brito, R. Gelabert (Campeche, México), E. Hidalgo and C. Rosas (Yucatán, México)	416
Dietary self-selection in sharpnose seabream (<i>Diplodus puntazzo</i>) fed paired macronutrient feeds and challenged with protein dilution M. Vivas, V.C. Rubio, F.J. Sánchez-Vázquez, C. Mena, B. García García and J.A. Madrid (Murcia, Spain)	430
Digestible energy need (DEN) of selected farmed fish species J. Bailey and A. Alanärrä (Umeå, Sweden)	438
Combined effects of feeding enriched rotifers and antibiotic addition on performance of striped trumpeter (<i>Lateolabrax lineatus</i>) larvae S.C. Battaglene, D.T. Morehead, J.M. Cobcroft, P.D. Nichols, M.R. Brown (Hobart, Tasmania, Australia) and J. Carson (Kings Meadows, Tasmania, Australia)	456
Effects of dietary calcium, phosphorus and calcium/phosphorus ratio on the growth and tissue mineralization of <i>Litopenaeus vannamei</i> reared in low-salinity water K.-m. Cheng (Guangzhou, Zhanjiang, PR China), C.-q. Hu (Guangzhou, PR China), Y.-n. Liu, S.-x. Zheng and X.-j. Qi (Zhanjiang, PR China)	472
Influence of lipid level and supplemental lecithin in diet on growth, feed utilization and body composition of juvenile flounder (<i>Paralichthys olivaceus</i>) in suboptimal water temperatures K.-D. Kim, K.-M. Kim, K.-W. Kim, Y. Jin Kang and S.-M. Lee (Pohang, South Korea)	484

Enrichment of <i>Artemia</i> nauplii in essential fatty acids with different types of liposomes and their use in the rearing of gilthead sea bream (<i>Sparus aurata</i>) larvae Ó. Monroig, J.C. Navarro, F. Amat (Castellón, Spain), P. González (Barcelona, Spain), A. Bermejo and F. Hontoria (Castellón, Spain)	491
Physiology and Endocrinology	
Characterization of macrophage phagocytosis of the tropical fish <i>Prochilodus scrofa</i> (Steindachner, 1881) B.E. Jensch-Junior, L.N. Pressinotti, J.C.S. Borges and J.R.M.C. da Silva (São Paulo, Brazil)	509
The effects of thermal amplitude on the growth of Chinese shrimp <i>Fenneropenaeus chinensis</i> (Osbeck, 1765) X. Tian and S. Dong (Qingdao, People's Republic of China)	516
Comparisons of physiological and biochemical responses between milkfish (<i>Chanos chanos</i>) and grass carp (<i>Ctenopharyngodon idella</i>) to cold shock C.M. Kuo (Ilan, Taiwan) and S.L. Hsieh (Kaohsiung, Taiwan)	525
Profile analysis of expressed sequence tags derived from the ovary of tilapia, <i>Oreochromis mossambicus</i> S.-L. Chu, C.-F. Weng, C.-D. Hsiao, P.-P. Hwang, Y.-C. Chen, J.-M. Ho and S.-J. Lee (Taiwan, ROC)	537
Instantaneous effect of dibromomethane on metamorphosis of larvae of the sea urchins <i>Strongylocentrotus nudus</i> and <i>Strongylocentrotus intermedius</i> Y. Agatsuma (Miyagi, Japan), T. Seki (Hiroshima, Japan), K. Kurata (Hokkaido, Japan) and K. Taniguchi (Miyagi, Japan)	549
Dopamine induces transient modulation of the physiological responses of whiteleg shrimp, <i>Litopenaeus vannamei</i> H.-T. Chiu, S.-P. Yeh, S.-C. Huang, C.-C. Chang (Pingtung, Taiwan), C.-M. Kuo (Ilan, Taiwan) and W. Cheng (Pingtung, Taiwan)	558
5-Hydroxytryptamine enhances larval development of the giant freshwater prawn, <i>Macrobrachium rosenbergii</i> P. Tangvuthipong (Bangkok, Thailand) and P. Damrongphol (Bangkok, Nakornpatom, Thailand)	567
Variations on development and stress defences in <i>Solea senegalensis</i> larvae fed on live and microencapsulated diets C. Fernández-Díaz (Cádiz, Spain), J. Kopecka (Sopot, Poland), J.P. Cañavate, C. Sarasquete and M. Solé (Cádiz, Spain)	573
Insulin-like growth factor-I cDNA cloning: gene expression and potential use as a growth rate indicator in Nile tilapia, <i>Oreochromis niloticus</i> E.M. Vera Cruz (Miami, Florida, USA; Philippines), C.L. Brown (Miami, Florida, USA), J.A. Luckenbach, M.E. Picha (Raleigh, North Carolina, USA), R.B. Bolivar (Philippines) and R.J. Borski (Raleigh, North Carolina, USA)	585
Short Communication	
Qualitative and quantitative effects of constant light photoperiod on rainbow trout (<i>Oncorhynchus mykiss</i>) peripheral blood erythrocytes A.E. Valenzuela, V.M. Silva and A.E. Klempau (Chile)	596
Contents of Aquaculture, Volume 251	603

